Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1   1.   (Currently Amended) A computer implemented method of identifying
2 and extracting content from HTML formatted web pages, comprising the steps of:
3   selecting a model page, wherein the model page includes a plurality of HTML
4 tags;
5   identifying a first area of interest in the model page;
6   parsing the model page to generate a first string of ~~symbols associated with~~
7 symbols corresponding to each of the plurality of HTML tags, wherein the first area of interest is
8 identified by a first portion of the first string of symbols;
9   retrieving a second web page associated with a different URL than the model
10 page;
11   parsing the second web page to generate a second string of symbols
12 corresponding to each of ~~associated with~~ the HTML tags of the second web page; and
13   comparing the first and second strings to determine whether the second string
14 includes a second portion similar to the first portion of the first string, wherein the second
15 portion corresponds to a second area of interest in the second page.

1   2.   (Original)   The method of claim 1, wherein the step of comparing
2 includes applying an approximate pattern matching algorithm to the first and second strings.

1   3.   (Original)   The method of claim 1, further comprising the step of
2 storing the first and second areas of interest in a database.

1   4.   (Original)   The method of claim 1, further comprising the step of
2 extracting the second area of interest from the second page.

Appl. No. 09/645,479
Amdt. dated October 13, 2004
Amendment under 37 CFR 1.116 Expedited Procedure
Examining Group

PATENT

1   5.   (Original)   The method of claim 4, further comprising the step of

2   applying a regular expression matching algorithm to the extracted second area of interest.

1   6.   (Original)   The method of claim 1, wherein the first and second areas

2   of interest each include two or more distinct sub-areas of the respective page.

1   7.   (Original)   The method of claim 1, wherein the step of identifying a

2   first area of interest includes the step of identifying portions of the HTML tags of the model

3   page.

1   8.   (Original)   The method of claim 1, wherein the step of identifying a

2   first area of interest is performed using a manual pointing and selecting device.

1   9.   (Original)   The method of claim 1, wherein the steps of selecting and

2   identifying are performed manually and wherein the remaining steps are performed

3   automatically.

1   10.   (Original)   The method of claim 1, wherein the second web page is

2   retrieved from a remote website over the Internet.

1   11.   (Original)   The method of claim 1, wherein the HTML tags include

2   attributes and attribute values.

1   12.   (Currently amended) A computer readable medium containing

2   instructions for controlling a computer system to automatically identify and extract desired

3   content from a retrieved HTML formatted web page, by automatically:

4   parsing the HTML code of a manually selected model web page to generate a first

5   string of symbols corresponding to each of ~~associated with~~ a first plurality of HTML tags;

6   retrieving a second web page associated with a different URL than the model web

7   page;

8 parsing the HTML code of the second web page to generate a second string of

9 symbols corresponding to each of the ~~associated with~~ HTML tags of the second page; and

10 comparing the first and second strings to determine whether the second page

11 includes a second plurality of HTML tags substantially matching the first plurality of HTML

12 tags.

1 13. (Original) The computer readable medium of claim 12, wherein the

2 first plurality of HTML tags are identified by an operator using a pointing and selection device

3 coupled to the computer system.

1 14. (Original) The computer readable medium of claim 12, wherein the

2 second web page is retrieved from a remote website over the Internet.

1 15. (Original) The computer readable medium of claim 12, further

2 including instructions for extracting a portion of the second page corresponding to the second

3 plurality of HTML tags.

1 16. (Original) The computer readable medium of claim 15, wherein the

2 instructions further control the computer system to store the extracted portion of the second page

3 in a database.

1 17. (Original) The computer readable medium of claim 15, further

2 including instructions for controlling the computer system to apply a regular expression

3 matching algorithm to the extracted portion of the second page.

1 18. (Original) The computer readable medium of claim 15, wherein the

2 extracted portion of the second page includes two or more distinct sub-areas.

1 19. (Original) The computer readable medium of claim 12, wherein the

2 instructions for comparing include instructions for applying an approximate string matching

3 algorithm to the first and second strings.

Appl. No. 09/645,479
Amdt. dated October 13, 2004
Amendment under 37 CFR 1.116 Expedited Procedure
Examining Group

PATENT

1   20.   (Original)   The computer readable medium of claim 12, wherein the

2   HTML tags include attributes and attribute values.

1   21.   (Currently amended) A computer system for identifying and extracting

2   content from HTML formatted web pages, the system comprising:

3   means for retrieving web pages including HTML tags, wherein a model web page

4   is retrieved;

5   means for manually identifying a first area of interest in the model page, wherein

6   the first area of interest corresponds to a first plurality of HTML tags; and

7   a processor including:

8   means for parsing a page, wherein the parsing means parses the model page and

9   generates a first string of symbols corresponding to each of ~~associated with~~ the first plurality of

10   HTML tags, and wherein the parsing means thereafter parses an automatically retrieved second

11   web page associated with a different URL than the model page and generates a second string of

12   symbols corresponding to each of ~~associated with~~ the HTML tags of the second web page;

13   means for comparing the first and second strings to determine whether the second

14   string includes a second portion similar to the first portion of the first string, wherein the second

15   portion corresponds to a second area of interest in the second page; and

16   means for extracting the second area of interest from the second page.

1   22.   (Currently amended) A computer implemented method of identifying

2   and extracting content from web pages formatted using a markup language, comprising the steps

3   of:

4   selecting a model page, wherein the model page includes a plurality of tokens;

5   identifying a first area of interest in the model page;

6   parsing the model page to generate a first string of symbols corresponding to each

7   of ~~associated with~~ the plurality of tokens, wherein the first area of interest is identified by a first

8   portion of the first string of symbols;

9   retrieving a second web page associated with a different URL than the model

10   page;

11   parsing the second web page to generate a second string of symbols

12   corresponding to each of ~~associated with~~ the tokens of the second web page; and

13   comparing the first and second strings to determine whether the second string

14   includes a second portion similar to the first portion of the first string, wherein the second

15   portion corresponds to a second area of interest in the second page.

1   23.   (Original)   The method of claim 22, further comprising the step of

2   extracting the second area of interest from the second page.

1   24.   (Original)   The method of claim 22, wherein the markup language is

2   selected from the group consisting of HTML, XML, WML, DHTML and HDML.

1   25.   (Original)   The method of claim 22, wherein the tokens include tag

2   elements and text elements.

1   26.   (Currently amended) A computer-implemented method of identifying

2   similar content in HTML formatted web pages, the method comprising:

3   selecting a model page, wherein the model page includes a plurality of HTML

4   tags;

5   identifying a first area of interest in the model page;

6   generating a first string of symbols for the plurality of HTML tags associated with

7   the first area of interest, each symbol corresponding to a different one of the plurality of HTML

8   tags;

9   retrieving a second web page associated with a different URL than the model

10   page ;

11   generating a second string of symbols for the HTML tags of the second web page,

12   each second symbol corresponding to a different one of the plurality of HTML tags of the second

13   web page; and

14   comparing the first and second strings to determine whether the second string

15   includes a portion similar to the first string, wherein the portion corresponds to a second area of

16   interest in the second page.

1   27.   (Previously presented) The method of claim 26, further comprising

2   extracting the second area of interest from the second page.

1   28.   (Previously presented) The method of claim 26, wherein identifying is

2   performed manually using a user-input device.